


CIHELNA KADAŇ

Czech traditional brickworks, est. 1885



BRICKS - PAVING - CLADDING - ACCESSORIES - FIRE CLAY

BRICKS



Galerie PLATO - Ostrava

CIHELNA KADAŇ

RUSTIC bricks						
	length	width	height	rustic surface	weight	pcs./pal.
CK vf (standard)	290	140	65	290x140	5,54	200
CK vf (plato)	290	140	65	290x65	5,54	200
CK vf (na kant)	290	140	65	140x65	5,54	200
CK mf (standard)	250	120	65	250x120	4,10	250
CK mf (plato)	250	120	65	250x65	4,10	250
CK mf (na kant)	250	120	65	120x65	4,10	250
PRESSED bricks						
	length	width	height		weight	pcs./pal.
CKL vf	290	140	65		5,54	200
CKL vf- half	290	65	65		2,70	400
CKL mf	250	120	65		4,10	250
BULLNOSE bricks						
	length	width	height		weight	pcs./pal.
CK bullnose vf	290	140	65		5,1	200
CK bullnose mf	250	120	65		4,0	250
PERFORATED bricks						
	length	width	height	rustic surface	weight	pcs./pal.
CKD vf-z	290	100	65	290x100	3,30	240
CKD VF-d	290	140	140	290x140	9,80	100




RUSTIC



PRESSED



BULLNOSE




CUSTOMIZED

CLADDING



PARVI Cibulka - Prague

CLADDING						
	length	height	thickness	weight	pcs./m2	pcs./pal.
PFC 29/6,5/1,5	290	65	15	0,62	45	825
PFC 29/6,5/2	290	65	20	0,83	45	800
PFC 29/6,5/3	290	65	30	1,24	45	522
PFC 25/6,5/2,5	250	65	25	0,89	52	1100
PFC 25/7/2,5	250	70	25	0,97	49	1000
PFC 25/4,5/1,2	250	45	12	0,30	70	1920
CORNES						
	length	width	height	thickness	weight	pcs./fm
PFOR 29/6,5/2,5	290	140	65	25	1,45	14
PFOR 25/6,5/2,5	250	120	65	25	1,23	14



RUSTIC



SMOOTH



CORNERS



CUSTOMIZED

PAVING

CIHELNA KADANĚ



Castle - Žďár nad Sázavou

HEXAGON	length	width	thickness	weight	pcs./m ²	pcs./pal.
DH 10/2	200	173	20	1,1	35	900
DH 10/3	200	173	30	1,65	35	600
DH 10/4	200	173	40	2,2	35	450
DH 10/7	200	173	70	3,85	35	240
DH 13/3	260	225	30	2,8	21	345
DH 13/5	260	225	50	4,6	21	225
DH 13/7	260	225	70	6,5	21	150
DH 16/3	330	286	30	4,5	13	220
DH 16/6	330	286	60	9	13	99
DH 16/7	330	286	70	10,41	13	88


SQUARE	length	width	thickness	weight	pcs./m ²	pcs./pal.
DP 15/2	150	150	20	1	39	795
DP 15/3	150	150	30	1,4	39	700
DP 15/4	150	150	40	1,9	39	490
DP 20/3	200	200	30	2,6	23	360
DP 20/4	200	200	40	3,5	23	208
DP 20/5	200	200	50	4,2	23	180
DP 20/7	200	200	70	6,07	23	160
DP 25/3	250	250	30	4	15	240
DP 25/5	250	250	50	6,6	15	140
DP 25/7	250	250	70	6,07	23	160
DP 25/7	250	250	70	9,2	15	96
DP 30/4	300	300	40	7,6	11	126
DP 30/5	300	300	50	9,42	11	100
DP 30/7	300	300	70	13,21	11	70

BRICK PAVEMENT	length	width	thickness	weight	pcs./m ²	pcs./pal.
DC 29/14/3	290	140	30	2,6	23	368
DC 29/14/6,5	290	140	65	5,5	23	200
DC 29/6,5/3	290	65	30	1,2	45	800
DC 29/6,5/7	290	65	70	2,8	45	360
DC 25/12/3	250	120	30	1,9	30	500
DC 25/12/6,5	250	120	65	4,1	30	250
DC 25/6,5/3	250	65	30	1	52	900
DC 25/6,5/6	250	65	60	2	52	500

LARGE	length	width	thickness	weight	pcs./m ²	pcs./pal.
DV 40/30/4	400	300	40	10,1	8	60



Karolinum - Charles University Prague



Ohrada Castle - Hluboká nad Vltavou



HEXAGON



SQUARE




BRICK PAVING



LARGE FORMAT

COLOURS AND EFFECTS



RUBY



ORANGE



OCHER




DUTCH



NORDIC



ANNEALED



RUSTIC



SMOOTH



STAMP



RELIEF






SPRINKLED



GLAZED

ACCESSORIES



CIHELNA **KADAŇ**

www.cihelnakadan.com

Věžní 734, Kadaň, 432 01
email : info@cihelnakadan.cz
tel : +420 720 138 965